

# Hep<sub>2</sub>O

Plumbing and Heating Systems

## Your Project Quotation



## Your Project: Demo Project



CONNECT TO BETTER

# Quote HC5898 Underfloor Heating Quotation

## Reference Details

Project Title: Demo Project  
 Project Reference Number: HC5898  
 Contact Name: Demo  
 Contact User Type: Installer  
 Contact Address: Edlington Lane  
 Contact City: Doncaster  
 Contact Postcode: DN12 1BY  
 Contact Email: xxxxx.xxxx@wavin.com  
 Date: 23.08.2017

Tel: 0844 856 5152  
 Email: underfloor@hep2o.co.uk  
 Web: www.hep2o.co.uk

Product Description	Product Code	Quantity	Price
Hep2O UFH LowB Max Str 15x600x1200mm (30)	15UH603	1 Pack of 30	£1,101.60
Hep2O UFH LowB Max Str 15x600x1200mm (10)	15UH602	1 Pack of 10	£384.20
Hep2O UFH LowB Max Return 15x300x138mm	15UH604	4 Packs of 10	£516.00
Hep2O UFH LowB Max Channel 15x600x150mm	15UH600	1 Pack of 10	£160.20
Hep2O PB Barrier Pipe 50m x 10mm	HXX50/10W	5	£431.10
Hep2O UFH Mains Controls - White neoStat	15UH475	1	£105.64
Hep2O UFH Mains Controls - neoHub	15UH492	1	£199.05
Hep2O UFH Mains Controls Sensor Probe	15UH495	2	£28.48
Hep2O UFH Mains Controls Sensor Probe Cover	15UH494	2	£4.96
Hep2O UFH Mains Flow Watch Thermostat	15UH524	1	£30.21
Hep2O UFH Composite Manifold - Control Pack	15UH512	1	£512.05
Hep2O UFH 22mm Isolation valves	15UH211	1 Pair	£37.42
Hep2O UFH Composite Manifold - Starter Pack	15UH510	1	£95.48
Hep2O UFH Composite manifold - 1 port pack	15UH511	2	£96.60
Hep2O UFH Composite manifold - 3 port pack	15UH513	1	£128.91
Spigot Socket Reducer 15mm to 10mm	HD2/15W	10	£34.10
This Trade List Price is exclusive of VAT			<b>Total £3,866.00</b>

**If a single zone with no control centre specified in the above quote, a motorised valve will be required to control the manifold. Please purchase this separately.**

The quantity of channel panels has been calculated using the room size information provided. Please ensure the quantities are accurate for the job.

When designing underfloor heating, you do not need to plan a path for pipes underneath permanent units – e.g. existing kitchen units. If this is a new room design, you may need to consider ordering more panels (to be used without pipes) to ensure the floor is all one level.

Thank you for using HepCalc. The products and quantities required have been estimated from the information you have provided.

# Products Quoted

## Quote HC5898

These are the products that you have chosen.



**Low Build Max 15mm**



**Networked (Wired)**



**Composite Manifold**

### This quotation is issued subject to the following conditions

1. All Hep<sub>2</sub>O underfloor heating products to be installed with the recommended fixing instructions in our product leaflets and relevant British Standards Codes of Practice.
2. All pipes and extrusions are supplied in standard lengths only. (See respective Trade Price Lists)
3. Whilst every effort has been made to ensure the accuracy of this quotation, the Company is not liable for errors or omissions and the schedule of quantities should be checked prior to placing the order.
4. Hep<sub>2</sub>O underfloor heating products are design to fine tolerances and manufactured from high grade material. The company will not be responsible for the malfunctioning of any installation, which includes plastic components not supplied by Wavin.
5. The company will endeavour to maintain prices quoted but reserves the right to increase these prices in accordance with any increase in the cost of labour and/or materials.
6. All products sold and services rendered are subject to the Company's Terms and Conditions of Sale and are available by request.
7. Wavin offers a programme of continuous improvement and reserves the right to modify the specification of products without notice.

HC5898 -

26.0m<sup>2</sup>

## Summary of rooms and coils required

Zone Temperature Control Type	Zone Control App Type	Zone Control Colour Type
Networked (Wired)	Remotely via Wavin NeoApp	White

Zone	Rooms	No. Of Coils	Coil Length (s)	No. Of Circuits	Circuit Lengths	In Floor Heating Product	Pipe Spacing
Zone 1	Kitchen	5x10mm	50m	5	47m	Low Build Max 15mm	150mm

Zone	Room	Floor Area	Heated Floor Area	Manifold Distance	Maximum Heat Output
Zone 1	Kitchen	26.0m <sup>2</sup>	26.0m <sup>2</sup>	6.0m	139.2 W/m <sup>2</sup>

**To ensure this quotation and specification will perform correctly, please ensure your project;**

- Conforms to the standards set within, Building Regulations Approved Document Part L.
- Will be supplied from a high temperature hot water source (greater than 60°C). Different controls are recommended for use with low temperature hot water technologies, such as heat pumps.
- Will not use floor finishes with a combined thermal resistance of 1.5Tog or higher. Refer to your flooring manufacturers guidance if you are unsure of suitability.
- Please note that heat outputs quoted are based on standard construction to current building regulations.

If your project does not meet any of the above criteria please inform your sales contact as it may be necessary for this specification to be altered, to better suit your requirements.

For product information and installation instructions please visit our website: [www.hep2o.co.uk](http://www.hep2o.co.uk)

## How to order

To place an order, take (or send) this quote to your local plumbers/builders merchant who will apply any applicable discounts. A full list of Hep<sub>2</sub>O stockists can be found on our website [www.hep2o.co.uk](http://www.hep2o.co.uk).

This quotation has been generated from the information provided. Please check all details carefully before placing an order.

[illegible]